



**NOTE:**

- ALL DIMENSIONS ARE IN MM .
- $\phi$  DENOTES TOR STEEL FE:415 GRADE CONFORMING TO IS:1786
- OUTLETS, INLETS, OVER FLOW, AND WASH OUT SHALL BE PROVIDED 1.5 mtr FROM SHAFT AS PER TENDER.
- LENGTH OF LAPS PROVIDED SHALL BE AS UNDER. 40 DIAM FOR SHAFT, RAFT COLUMN ETC. 30 DIAM FOR CONTAINER
- TIE BEAMS SHALL BE PROVIDED AT 2800 C/C TOP OF FIRST TIE BEAM SHALL BE AT G.L.

REV. NO.	DATE	FOR APPROVAL	00
R-0	14-02-2014	FOR APPROVAL	00
<b>R E V I S I O N</b>			
DRAWING TITLE: 1,25,000 LITRE CAP. & 20 MTR. HEIGHT AT			
PROJECT:			
STRUCTURAL ENGINEERS			
<b>STRUCCORE</b>			
ANKIT K. PATEL C/1, JAYEN APP., CHUNIBHAI COLONY, NR. FOOTBALL GROUND , KANKARIYA, AHMEDABAD-380022 ,TEL:(M) 09723618823, ankit@struccore.com			
SCALE:N.T.S.	CHECKED:	PROJ. NO. : 01-14	
DRN :	DATE:14-02-2014	DRG. NO. : ST-00	
DEALT SIGN :	CHECK SIGN :	APVD. SIGN :	